




1588-3366

- 가
- 02-3451-3366
 - 0391-652-3366
 - 053-430-3366
 - 042-480-3366
 - 051-550-3366
 - 0652-240-3366
 - 062-250-3366
 - 064-742-3366

- 02-541-3000 080-022-3000
051-861-3000 080-051-3000
- PC
PC ()
GO SEC(, , ,)
- Internet
<http://www.sec.co.kr/printer>

AS ? 가 가

E·A·S·Y·F·A·X CF-200



(VMS) 080-023-8484 ()
OKI 24 24
A/S ()

Blank header box



..... 00
 00
 , 00
 00
 (ID) 00
 00
 00



() 00
 , 00
 00
 00
 00
 00



..... 00
 00
 00
 00
 00


가




가 00
 가 00
 가 00
 00
 00
 00



가




00



가






EXT. LINE

TEL LINE



잠깐


• • • •





/
가

/



메뉴

단축다이얼

음량/선택

플레이스

재다이얼/표지

1	ABC	DEF
2	GHI	JKL
3	MNO	PQRS
4	TUV	WXYZ
5		
6		
7		
8		
9		
*	모닝콜	도움말
0		
#		

해상도

수신모드

○ 보통글자

● 가는글자

◆ 큰글자

* 사진원고

정지

시작/복사

음향크




경보 기록지없음

전원 사용중

/
:
/


.
.
.
.


(PAUSE)






가
가







1



2






3



4



5



가
가
가
가

(ID)

(,)



1

2

3

4

5

6

1
) 025413000 0 * 2 * 5 * 4 * 1 * 3 * 0 * 0 * 0

/

[Empty box]

/

가



1

2

3

4

) FAX

F가



3

A가



1

X가



2

1	1
2	A B C 2
3	D E F 3
4	G H I 4
5	J K L 5
6	M N O 6
7	P Q R S 7
8	T U V 8
9	W X Y Z 9
0	+ * , 0
#	: / . #



1


2

2

: 2
: 24

3

/



4

가



/
•가 []
가




1

2


/

가 ,

가 ,



1



3


가 ,

가 ,


가 ,

가 ,

가



1




• 가

2




/ 가

3



가 4

4



가

Q

?


A

가


?

가

가 .



. . 가 4 . . 가



가 ?

가 가

.00

00

()

/ , / 가

가 가

가 가

가 가


가 가 /

가

1



2



가



가

?


EXT.LINE
* 9 *
가



가

가 , 가

가



1

2

3

4

가

주의 :

가

가

1

2



3

가

4

가

2가 가

가

1



2

가



??	<ul style="list-style-type: none"> 가 가 0 : 1 : 2 : 가
??	<ul style="list-style-type: none"> 가 1 ~ 7 [/] TEL
??	<ul style="list-style-type: none"> EXT.LINE 9 9 가
??	<ul style="list-style-type: none"> 가 0 : 1 : (가 가 12 가)



1

3




2


3 #

4 /



- 1 5
- 2 /
- 3 /
- 4 /
- 5 /
- 6 3~5





4 ??

2 OFF /

가


가
가

가


1




2



5



6







가 가

가

3




4




7

가



8




가


가

가


1




2




4




5



3



6




가


1 []




2




4




5



3



6 ' ' 가



가

...

Q

1. /

2.

3.

4.

5. 가 가

6.

7.

8.

9. 가

10.

A

가

가

가

가

(21)

가

[/]

가

가

가

?

[/]

가

가



11.

12.

가 .

13.

가 .

14.

15.

가 .

16.

/




가 . (44 ~ 45)

가


가

? ?


[]



가



220V
220V




가



가




가



가



(TV,)





	가 (PSTN) (PABX)
	CCITT Group 3
	MH/MR
	9600/4800 bps
	: 3.85 lines/mm
가	: 7.7 lines/mm
	: 15.4 lines/mm
	CIS
	216 mm
	210 mm ± 1%
	216 mm
	216 mm (), 30 M ()
	220 V
	: 7 W, : 115 W
	5 °C 45 °C
	20 % 80 % ()
(x x)	107 mm x 297 mm x 215 mm
	2.5 kg



가
1 .




1 .



()
:
()
(, , ,)

가
CABLE POWER CORD
(, , ,)





()

14
5

7



1

		SERIAL NO.	

1 ()

10			
•			
1			
•			
가	3		
	4		
가	()	가	가
가	()	가	가 10% 가

(가 가)

•	1
•	2
•	
•	
•	
•	1
•	
•	
•	

•
• 가

•
•
• ()
()